

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казахский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

**SERIES
OF GEOLOGY AND TECHNICAL SCIENCES**

4 (436)

JULY – AUGUST 2019

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Б а с р е д а к т о р ы
э. ғ. д., профессор, ҚР ҰҒА академигі

И.К. Бейсембетов

Бас редакторының орынбасары
Жолтаев Г.Ж. проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспаев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Кенжалиев Б.К. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора
Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Редакционная коллегия:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кенжалиев Б.К. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.
Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

E d i t o r i a l b o a r d :

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kenzhaliyev B.K. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 4, Number 436 (2019), 95 – 102

<https://doi.org/10.32014/2019.2518-170X.102>

UDC 637.133

A. G. Galstyan¹, S. N. Turovskaya², A. E. Ryabova¹, E. E. Illarionova², V. K. Semipyatniy¹,
I. A. Radaeva², A. N. Petrov³, D. E. Nurmukhanbetova⁴, E. K. Assembayeva⁴

¹All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Industry –
branch of the Gorbатов's Federal Scientific Center of Food Systems of RAS, Moscow, Russia,

²All-Russian Research Institute of Dairy Industry, Moscow, Russia,

³All-Russian Scientific Research Institute of Preservation Technology –
branch of the Gorbатов's Federal Scientific Center of Food Systems of RAS, Vidnoye, Russia,

⁴Almaty technological university, Almaty, Kazakhstan.

E-mail: 9795029@mail.ru, conservlab@mail.ru, anryz@hotmail.com, conservlab@mail.ru,
semipyatniy@gmail.com, conservlab@mail.ru, vniitek@vniitek.ru, dinar2080@mail.ru, elmiraasembaeva@mail.ru

TECHNOLOGICAL ADDITIVES AS AN ELEMENT OF DRY MILK PROPERTIES DIRECTED FORMATION

Abstract. The modern development of the food industry is unthinkable without the use of food additives. Their use makes it possible to improve the finished products quality, give it consumerly attractive properties, increase shelf life, reduce losses during transportation, expand of the supply's geography logistics, facilitate the intensification of technological processes, etc. The carried out complex of studies has made it possible to establish that the introduction of salt-stabilizers has a significant effect on the change in the basic functional and technological dried whole milk properties. Analysis of experimental material, obtained for all indicators studied during the work, allows us to recommend the use of complex phosphate salts in dried whole milk technology. At the same time, it should be noted that dried whole milk samples with salts, obtained by introducing them into normalized milk and its subsequent drying, surpass samples with similar salts, obtained by dry mixing, in their qualitative characteristics. This is due to more intense mechanism stabilizing salts effect on milk protein complex before drying.

Keywords: powdered milk, food additives, technology, quality, dynamics in storage.

Modern innovative development of the food industry is unthinkable without use of wide range of food additives. Their use makes it possible to improve the finished products quality, give it consumerly attractive properties, increase shelf life, reduce losses during transportation, expand of the supply's geography logistics, facilitate the intensification of technological processes, etc. [1-4].

Currently, there are several legal interpretations of the “food additive” established by international - Codex Stan 192-1995, interstate EAEU - TR TS 021/2011, TR TS 029/2012 and national documents of the Russian Federation - FZ dated 02.01.2000 No. 29-FZ. Briefly, the essence of the concept can be summarized as follows: food additive is a substance or mixture of substances usually not eaten directly by human, deliberately used in food production with a technological purpose for ensuring production processes, transportation and storage [4-6].

In Russian Federation, food additives are divided into the following main functional classes: anti-caking agents (anti-boilers); antioxidants; flour treatment agents; glazing; acids and acidity regulators; preservatives; colorants; carriers; sweeteners; stabilizers, emulsifiers, fillers and thickeners; flavor enhancers and aromas; color fixatives (stabilizers) [6, 7].

From the given list of food additives one should single out such a widely used group as “stabilizers, emulsifiers, fillers and thickeners”, otherwise called technological food additives, which are manifested either in the purposeful modification of the product constituent parts during technological processing, or in giving the product a certain quality characteristics due to its own functional and technological properties

[5-7]. The substances of this additives group play an important role in modern technologies and find application in almost all sectors of food industry, including the dairy one [3, 6, 7].

Today in the dairy industry one of the urgent tasks is to improve the quality characteristics of canned dairy products used as dry dairy raw materials (DDRM), and in particular such indicators as thermal stability, solubility, etc. It is known, that from raw materials with low thermal stability and solubility is difficult to produce high-quality dairy products, especially with high organoleptic characteristics. The prospect of processing this raw material in other sectors of food industry, for example, in the confectionery, is very difficult due to used high-temperature treatment regimes and the high acidity of certain ingredients [8-18].

It should be noted, that for the various food products production, the most demanded of the DDRM is dried whole milk (DWM). In international practice (Codex Stan 207-1999), a wide range of food additives is used in its manufacture, namely: stabilizers, hardeners, acidity regulators, emulsifiers, antioxidants, as well as additives preventing caking and balling. On the territory of the member countries of the European Economic Union, including Russian Federation, DWM is produced according to GOST 33629-2015, which rationalizes its production only from dairy raw materials. On the one hand, this is a positive factor - especially when processing of DWM into reconstituted milk for direct consumption. On the other hand, in view of the limited amount of high-quality raw milk and the seasonality of its production, the possibility of producing DWM, for example, from non-heat-resistant raw materials, the quality of which can be improved by using food additives, is excluded. In this situation, the DWM production with use of salts is permissible to carry out under technical conditions or standards of organizations [2, 4, 19-21].

The purpose of this work was to establish the feasibility of using different salts to improve DWM quality characteristics, including depending on the method of their incorporation into dairy raw materials.

Research methods. Standard conventional and original experimental methods were used in the work [2, 5, 9]. In particular, were studied a number of functional and technological DWM indicators, including samples in a reduced form: acidity, heat resistance, solubility index, water activity (milk powder), viscosity, dissolution rate, etc. A three-dimensional experimental study of the samples was carried out on the "Jeol-840 A" electron microscope (Japan), for which they were previously glued onto special metal tables after being fixed and dehydrated, were sprayed with gold in the ionic spraying thin coatings "JFC - 1100". The indicator of the samples water activity was researched on the device "Hygrolab-3" of the company ROTRONIC (Germany) with digital ventilated station "AwVC-DIO" and results processing by "HW3" software. The granulometric composition is based on RETSCH analytical screening installation of the AS200 Control series, equipped with the Amplimatic microprocessor analysis control system and the Easysievet results processing program.

Milk powder with salts samples were obtained under production conditions on a spray drying unit. Making salt process was carried out in two ways: the method of normalized milk drying with salt (DWM1) and the method of dry mixing (DWM2), which provides for DWM dry mixing with a stabilizer salt on vibration mixers. At the same time, for the control salt-free sample and DWM1 samples, the raw material was used as close as possible to the characteristics. As a dry milk basis for DWM2 samples, dry milk from the control batch was used. During research, about 7.5 tons of powdered milk with various salts were produced and feedback was received on the processing of this raw material in various food industries, in particular on its use in the confectionery products development.

As stabilizer salts under research were used sodium citrate trisubstituted ($\text{Na}_3\text{C}_6\text{H}_5\text{O}_7 \cdot 5,5\text{H}_2\text{O}$) according to GOST 31227-2004 (E331), sodium disubstituted phosphate 12-water ($\text{Na}_2\text{HPO}_4 \cdot 12 \text{H}_2\text{O}$) according to GOST 4172-76 (E339) and complex salt, representing a mixture of sodium phosphates (hereinafter referred to as polyphosphate). Each of stabilizer salt for all DWM samples were injected in equal amounts to the mass of the finished product.

Research results. Based on the analysis of preliminary experiments results on the preparation of DWM with various salts, it was found that, by the criteria of accessibility/quality/price/efficiency, it is most efficient to use complex polyphosphate salts. To assess the effectiveness of salt addition, salt-free DWM were further monitored, as well as with $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$ and $\text{Na}_3\text{C}_6\text{H}_5\text{O}_7 \cdot 5,5\text{H}_2\text{O}$, produced using maximally one-type technologies.

A rational dosage of salts has been experimentally established previously – 0.3% by DWM weight, which ensures a stable increase in thermal stability by 1–3 groups and a decrease in solubility index by 2–3 times.

Visually researched salts differed in the degree of dispersion and the intensity of dissolution in water.

Figure 1 shows electron microscopic photographs of salt samples at different magnifications (1, 2, 3 - x500 and 1a, 1b, 1c – x4000, respectively), allowing demonstrate the differences in the structure of the objects under study clearer.

As follows from the figure, complex salt has a higher dispersion. In general, significant differences in the structure of the salts studied are well comparable with the data on their solubility in water. In DWM1 production, salts in normalized milk were made in the form of aqueous solutions, and in DWM2 technology – $\text{Na}_3\text{C}_6\text{H}_5\text{O}_7 \cdot 5,5\text{H}_2\text{O}$ and $\text{Na}_2\text{HPO}_4 \cdot 12 \text{H}_2\text{O}$ subjected to additional grinding in order to achieve a more uniform distribution in milk powder mass.




Figure 1 – Microstructure of the studied stabilizing salts

In order to more fully determine the differences between the studied milk powder samples, their microstructure was studied. Figure 2 shows electron microscopic photographs of the samples at different magnifications, which make it possible to demonstrate the differences in the structure of objects clearer.

As can be seen from figure 2, numerous globular particles with varying degrees of dispersion are detected in all tested milk powder preparations. So, in particular, compared with the control (4a and 4b), the DWM1 samples - 1a, 1b, 2a, 2b, 3a and 3b are characterized by larger globule size, which are largely connected to each other by means of connecting “bridges”. The presence of the latter causes the formation of a more coherent structure consisting of “conditional agglomerates”, which, in turn, has a positive effect on the rate of DWM dissolution process. In the control sample – 4a and 4b, as well as in DWM2 samples, a significant proportion of the particles is in free, unrelated state and only a small part is combined with each other. At the same time, a smaller globule size was observed for these samples. In accordance with the microstructural studies results, a satisfactory salt dispersion was revealed in DWM2 samples. Figure 2 part 5a and 5b shows the appearance of stabilizer salt particle on a dry milk globule, which clearly demonstrates the possibility of their identification in product mass.

Results of DWM dispersion, obtained by sieve method are shown in figure 3.

Analysis of the actual particle's distribution in DWM indicates a significant difference in the particle size distribution of the experimental products as compared with the control samples. It is noted that in all experimental samples the number of particles with sizes greater than 0.25 mm significantly exceeds the control ones. The highest level of passive agglomeration was found in DWM with polyphosphate salt. Has been established the dust fraction reduction in all DWM with salts, which implies a reduction in losses during drying process.





Figure 2 – Microstructure of the studied DWM samples:

1 – DWM with polyphosphate salt, 1a and 1b drying, 1c and 1d – dry mixing, a dotted line indicates salt particle on globule;
 2a and 2b – DWM with $\text{Na}_3\text{C}_6\text{H}_5\text{O}_7 \cdot 5,5\text{H}_2\text{O}$ drying; 3a and 3b – DWM with $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$ drying;
 4a and 4b – control salt-free DWM; 5a – typical surface of control salt-free DWM; 5b – typical surface of DWM with salts



Analysis product	Regression equation	Equation coefficients, correlations, and standard errors
DWM – salt-free control	Vapor Pressure Model: $y = \exp(a + b/x + c \ln(x))$	$a=42.40$; $b=-42.28$; $c=24.17$; $S=0.383$; $r=0.99$
DWM with $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$	Rational Function: $y = (a + bx) / (1 + cx + dx^2)$	$a=0.36$; $b=-0.02$; $c=-0.85$; $d=0.17$; $S=0.388$; $r=0.99$
DWM with $\text{Na}_3\text{C}_6\text{H}_5\text{O}_7 \cdot 5,5\text{H}_2\text{O}$		$a=0.26$; $b=0.05$; $c=-0.85$; $d=0.17$; $S=0.143$; $r=0.99$
DWM with polyphosphate salt		$a=-0.64$; $b=0.92$; $c=-0.86$; $d=0.19$; $S=0.142$; $r=0.99$

Figure 3 – Granulometric composition of the analyzed DWM samples

The introduction of stabilizing salts a priori has a significant effect on milk powder thermal stability during heat treatment and post-technological storage.

Since the results of a set of controlled DWM indicators revealed the greatest efficiency from the use of polyphosphate salt, below (figure 4) shows the results of the thermal stability formation ($0 \rightarrow 0'$) and its kinetics in storage at $t_x (6 \pm 2)^\circ\text{C}$ for DWM developed with use of this salt.




Figure 4 – Formation ($0 \rightarrow 0'$) and dynamics in storage ($0' \rightarrow 12$) T-in CMS with polyphosphate salt

It has been established that the use of polyphosphate salt contributes to an increase in thermal stability in the raw material – product chain ($0 \rightarrow 0'$) by 1–3 groups and forms its high value during storage. Similar studies of DWM with control salts showed a lower effectiveness of indicator initial growth (on average no more than 1 group) and a greater quality loss in storage. It is noted that the use of $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$ and $\text{Na}_3\text{C}_6\text{H}_5\text{O}_7 \cdot 5,5\text{H}_2\text{O}$ with the initial value of thermal stability at the level of groups I-II is not rational.

The results of solubility index kinetics during storage of the control and experimental DWM samples are shown in figure 5.




Figure 5 – Patterns of experimental DWM solubility dynamics when stored for 12 months at a temperature of $(6 \pm 2)^\circ\text{C}$

These dependences confirm the effectiveness of salts use, which were further confirmed by data on the viscosity kinetics of the reconstituted DWM samples during storage. So, at the beginning and at the end of the storage, the relative viscosity growth for the control (c) and experimental (e) samples was as follows: DWM-c + 27.93%, DWM-e + 9.3%. Consequently, the use of salt in DWM technology makes it possible to significantly stabilize their protein fraction.

Findings. The carried out complex of studies has made it possible to establish that the introduction of salt-stabilizers has a significant effect on the change in the basic functional and technological DWM properties. Analysis of experimental material, obtained for all indicators studied during the work, allows us to recommend the use of complex phosphate salts in DWM technology. At the same time, it should be noted that DWM samples with salts, obtained by introducing them into normalized milk and its subsequent drying, surpass samples with similar salts, obtained by dry mixing, in their qualitative characteristics. This is due to more intense mechanism stabilizing salts effect on milk protein complex before drying.

The obtained data are taken into account in the recommendations on the principles of the directed dry milk products quality indicators formation for producers and processors of this products group.

**А. Г. Галстян¹, С. Н. Туровская², А. Е. Рябова¹, Е. Е. Илларионова²,
В. К. Семипятный¹, И. А. Радаева², А. Н. Петров³, Д. Е. Нурмуханбетова⁴, Э. К. Асембаева⁴**

¹Бүкілресейлік сыра қайнату, алкогольсіз және шарап өнеркәсібі ғылыми-зерттеу институты – ФМБС филиалы В. М. Горбатов атындағы «Азық-түлік өнімдерінің федералдық ғылыми орталығы» РҒА, Мәскеу, Ресей,

²ФМБҒМ «Бүкілресейлік сүт өнеркәсібі ғылыми-зерттеу институты», Мәскеу, Ресей,

³«Бүкілресейлік консервілеу технологиясы ғылыми-зерттеу институты» ФМБҒМ В. М. Горбатов атындағы филиал ««Азық-түлік өнімдерінің федералдық ғылыми орталығы» РҒА, Мәскеу, Ресей,

⁴Алматы технологиялық университеті, Алматы, Қазақстан

ТЕХНОЛОГИЯЛЫҚ ҚОСПАЛАРДЫ ТІКЕЛЕЙ ЕНГІЗУ ЖОЛЫМЕН ҚҰРҒАҚ СҮТТІҢ ҚАСИЕТТЕРІН ҚАЛЫПТАСТЫРУ

Аннотация. Тамақ өнеркәсібінің қазіргі заманғы дамуын тағамдық қоспаларды пайдаланусыз мүмкін емес. Оларды пайдалану дайын өнімнің сапасын жақсартуға, тұтынушыға тартымды қасиеттермен қамтамасыз етуге, сақтау мерзімін ұзартуға, тасымалдау кезінде шығындарды азайтуға, жеткізудің географиясын кеңейтуге, технологиялық үдерістерді жеделдету және т.б. мүмкіндік береді. Орындалған зерттеулер тұрақтандырғыш тұздардың енгізілуі толыққанды құрғақ сүттің негізгі функционалдық және технологиялық қасиеттерінің өзгеруіне айтарлықтай әсер ететінін анықтауға мүмкіндік берді. Жұмыста зерттелген барлық көрсеткіштер үшін алынған эксперименттік материалдарды талдау кешенді фосфат тұздарын толыққанды құрғақ сүт технологиясында қолдануға ұсынуға мүмкіндік береді. Сонымен қатар, нормаланған сүтке енгізілген және одан кейінгі кептіру арқылы алынған тұзы бар толыққанды құрғақ сүт үлгілері, сапалық сипаттамалары бойынша ұқсас тұздарды құрғақ араластыру арқылы алынған сүт үлгілерінен асып кететінін атап өткен жөн. Бұл тұрақтандырғыш тұздардың сүтті-ақуыздық кешенге кептіруден бұрынғы әсерін тигізетін қарқынды механизміне байланысты.

Түйін сөздер: құрғақ сүт, тағамдық қоспалар, технология, сапа, сақтау кезіндегі динамика.

**А. Г. Галстян¹, С. Н. Туровская², А. Е. Рябова¹, Е. Е. Илларионова²,
В. К. Семипятный¹, И. А. Радаева², А. Н. Петров³, Д. Е. Нурмуханбетова⁴, Э. К. Асембаева⁴**

¹Всероссийский научно-исследовательский институт пивоваренной, безалкогольной и винодельческой промышленности – филиал ФГБНУ «ФНЦ пищевых систем им. В. М. Горбатова» РАН, Москва, Россия,

²ФГАНУ «Всероссийский научно-исследовательский институт молочной промышленности», Москва, Россия,

³Всероссийский научно-исследовательский технологий консервирования – филиал ФГБНУ «ФНЦ пищевых систем им. В. М. Горбатова» РАН, Москва, Россия,

⁴Алматинский технологический университет, Алматы, Казахстан

ФОРМИРОВАНИЕ СВОЙСТВ СУХОГО МОЛОКА ПУТЕМ НАПРАВЛЕННОГО ВВЕДЕНИЯ ТЕХНОЛОГИЧЕСКИХ ДОБАВОК

Аннотация. Современное развитие пищевой промышленности немислимо без использования пищевых добавок. Их применение позволяет улучшить качество готовой продукции, придать ей привлекательные для потребителя свойства, увеличить срок годности, сократить потери при транспортировке, расширить геогра-

фию поставок, ускорить технологические процессы и др. Выполненные исследования позволили установить, что введение солей-стабилизаторов оказывает существенное влияние на изменение основных функционально-технологических свойств сухого цельного молока. Анализ экспериментального материала, полученного по всем показателям, изученным в ходе работы, позволяет рекомендовать использование комплексных фосфатных солей в технологии сухого цельного молока. В то же время следует отметить, что образцы сухого цельного молока с солями, полученные путем введения их в нормализованное молоко и его последующей сушки, по своим качественным характеристикам превосходят образцы с аналогичными солями, полученными сухим смешиванием. Это связано с более интенсивным механизмом воздействия стабилизирующих солей на молочно-белковый комплекс перед сушкой.

Ключевые слова: сухое молоко, пищевые добавки, технология, качество, динамика при хранении.

Information about authors:

Galstyan Aram Genrikhovich, Head of the Interbranch Scientific and Technical Center for Food Quality Monitoring, Doctor of Technical Science, Professor of RAS, Corresponding Member of RAS, All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Indus – branch of the Gorbатов's Federal Scientific Center of Food Systems of RAS; 9795029@mail.ru; <https://orcid.org/0000-0002-0786-2055>

Turovskaya Svetlana Nikolaevna, Senior Researcher of the Laboratory of Dairy Preserved Foods, All-Russian Research Institute of Dairy Industry; conservlab@mail.ru; <https://orcid.org/0000-0002-5875-9875>

Ryabova Anastasia Evgenievna, Senior Researcher of the Interbranch Scientific and Technical Center for Food Quality Monitoring, PhD, All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Industry – branch of the Gorbатов's Federal Scientific Center of Food Systems of RAS; anryz@hotmail.com; <https://orcid.org/0000-0002-5712-2020>

Illarionova Elena Evgenievna, Researcher of the Laboratory of Dairy Preserved Foods, All-Russian Research Institute of Dairy Industry; conservlab@mail.ru; <https://orcid.org/0000-0002-9399-0984>

Semipyatniy Vladislav Konstantinovich, Senior Researcher of the Interbranch Scientific and Technical Center for Food Quality Monitoring, PhD, All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Industry – branch of the Gorbатов's Federal Scientific Center of Food Systems of RAS; semipyatniy@gmail.com; <https://orcid.org/0000-0003-1241-0026>

Radaeva Iskra Alexandrovna, Chief Researcher of the Laboratory of Dairy Preserved Foods, All-Russian Research Institute of Dairy Industry; conservlab@mail.ru; <https://orcid.org/0000-0002-1920-0577>

Petrov Andrey Nikolaevich, Director of All-Russian Scientific Research Institute of Technology of Preservation – Branch of the V. M. Gorbатов Federal Research Center for Food Systems of RAS, Doctor of Technical Science; vniitek@vniitek.ru; <https://orcid.org/0000-0001-9879-482X>

Nurmukhanbetova Dinara Erikovna, candidate of engineering sciences, acting associate professor, Almaty technological university, Department of Food safety and quality; dinar2080@mail.ru; [orcid.org /0000-0002-8939-6325](https://orcid.org/0000-0002-8939-6325)

Assembayeva Elmira Kuandykovna, Master of Technical Sciences, Senior Lecturer, Almaty technological university, Department of Food Biotechnology; elmiraasembaeva@mail.ru; orcid.org/0000-0001-7964-7736

REFERENCES

- [1] Bhat Z.F., Bhat Hina (2011) Milk and Dairy Products as Functional Foods: A Review // International Journal of Dairy Science. 6(1):1-12. DOI:10.3923/ijds.2011.1.12 (in Eng.).
- [2] Radaeva I.A., Chervetsov V.V., Galstyan A.G., Turovskaya S.N., Illarionova E.E., Petrov A.N. (2016) Intergovernmental standard on milk powder. Dairy Industry. 3:36-38 (in Rus.).
- [3] Shukeshcheva S.E., Uzakov Y.M., Chernukha I.M., Nurmukhanbetova D.E., Nabyeva Z.S., Nurtaeva A.B. (2018) Research to improve the quality of food products // News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. 3(430):37-45. ISSN 2224-5278 (in Eng.).
- [4] Galstyan A.G., Petrov A.N., Turovskaya S.N., Chervetsov V.V., Illarionova E.E., Semipyatny V.K. (2016) Theory and Practice of Dairy Canning. M: The Publishing House "Fedotov D.A.". 181 p. ISBN 978-5-9908238-7-7 (in Rus.).
- [5] Petrov A.N., Galstyan A.G., Radaeva I.A., Turovskaya S.N., Illarionova E.E., Semipyatniy V.K., Khurshudyan S.A., DuBuske L.M., Krikunova L.N. (2017) Indicators of quality of canned milk: Russian and international priorities // Food and Raw Materials. 5(2):151-161. DOI: 10.21603/2308-4057-2017-2-151-161 (in Eng.).
- [6] Nechaev A.P., Kochetkova A.A. (2007) Food and dietary supplements, flavors and technological aids: a textbook for students of higher educational institutions. SPb.: GIORD. 242 p. ISBN 978-5-98879-046-4 (in Rus.).

- [7] Sarafanova L.A. (2004) Food Additives: Encyclopedia. SPb.: GIOR. 808 p. ISBN 5-901065-79-4 (in Rus.).
- [8] Galstyan A.G., Petrov A.N., Semipyatniy V.K. (2016) Theoretical backgrounds for enhancement of dry milk dissolution process: mathematical modeling of the system “solid particles – liquid” // Food and Raw Materials. 4(1):102-109. DOI:10.21179/2308-4057-2016-1-102-109 (in Eng.).
- [9] Krasulya O.N., Botvinnikova V.V., Popova N.V. (2015) Formation of dairy products quality from the perspective of systems theory // Bulletin of South Ural State University. 9(1):191-198 (in Rus.).
- [10] Abdalla A.K., Smith K., Lucey J. (2017) Physical Properties of Nonfat Dry Milk and Skim Milk Powder // International Journal of Dairy Science. 12:149-154. DOI:10.3923/ijds.2017.149.154 (in Eng.).
- [11] Augustin M.A., Clarke P.T., Craven H. (2003) Powdered milk: characteristics of milk powders // Encyclopedia of Food Sciences and Nutrition. 4703-4711. DOI:10.1016/B0-12-227055-X/00956-1 (in Eng.).
- [12] Kuznetsov V.V., Shiler G.G. (2006) The use of dry milk components in the food industry: a guide. SPb.: GIOR. 480 p. ISBN 5-98879-003-8 (in Rus.).
- [13] Cherkaoui S., Begin P., Paradis L., Paradis J., Des Roches A. (2015) Powder milk: a user-friendly and safe product for heated-milk food challenge? // Allergy Asthma Clin Immunol. 11:39. DOI:10.1186/s13223-015-0103-z (in Eng)
- [14] Crowley S.V., Desautel B., Gazi I., Kelly A.L., Huppertz T., O'Mahony J.A. (2015) Rehydration characteristics of milk protein concentrate powders // Int. Dairy J. 149:105-113. DOI:10.1016/j.jfoodeng.2014.09.033 (in Eng.).
- [15] Lipatov N.N., Kharitonov V.D. (1981) Milk Powder. M.: Light and Food Industry. 264 p. (in Rus.).
- [16] Patel R.P., Patel M.P., Suthar A.M. (2009) Spray drying technology: an overview // Indian J Sci Technol. 2(10):44-47 (in Eng.).
- [17] Pugliese A., Cabassi G., Chiavaro E., Paciulli M., Carini E., Mucchetti G. (2017) Physical characterization of whole and skim dried milk powders // Journal of food science and technology. 54(11):3433-3442. DOI:10.1007/s13197-017-2795-1 (in Eng.).
- [18] Westergaard V. (2004) Milk Powder Technology: Evaporation and Spray Drying / 5th Edn., Niro A/S. Soborg, Denmark (in Eng.).
- [19] Radaeva, I.A., Chervetsov V.V., Galstyan A.G., Turovskaya S.N., Illarionova E.E., Strizhko M.N., Petrov A.N. (2013) Modern Regulatory Framework for the Canned Milk Production // Milk Processing. 7(166):6-9 (in Rus.).
- [20] Turovskaya S.N., Galstyan A.G., Petrov A.N., Radaeva I.A., Illarionova E.E., Ryabova A.E., Assembayeva E.K., Nurmukhanbetova D.E. (2018) Scientific and practical potential of dairy products for special purposes // News of the National Academy of Sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. 6(432):16-22. DOI:10.32014/2018.2518-170X.31 (in Eng.).
- [21] Ryabova A. E., Mikhailova I. U., Gilmanov Kh. Kh., Rzhanova I. V., Assembayeva E. K., Nurmukhanbetova D. E. (2019) Approbation of PCR-RFLP and AS-PCR methods for genotyping cattle by the DGAT1 gene // News of the National Academy of Sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. 3 (435):60-66. DOI:10.32014/2019.2518-170X.68 (in Eng.).
- [22] Dauletov Y., Abdiyev K., Toktarbay Z., Nuraje N., Zhursumbaeva M., Kenzhaliyev B. (2018) Radical Polymerization and Kinetics of N, N-diallyl-N, N-dimethylammonium Chloride and Vinyl Ether of Monoethanolamine // Fibers Polym. 19: 2023. <https://doi.org/10.1007/s12221-018-6947-3>
- [23] Nussupov K.K., Beisenkhanov N.B., Zharikov S.K., Beisembetov I.K., Kenzhaliev B.K., Akhmetov T.K., Seitov B.Z. (2014). Structure and composition of silicon carbide films synthesized by ion implantation // Physics of the Solid State. 56(11), 2307-2321. <https://doi.org/10.1134/s1063783414110237>
- [24] Assembayeva E.K., Galstyan A.G., Nurmukhanbetova D.E., Bazilbayev S.M., Strizhko M.N., Seidakhmetova Z.Zh. (2019). Principles of development of osmotically and biologically active compositions for technologies of fermented milk drinks // News of the National academy of sciences of the Republic of Kazakhstan. Series of geology and technical sciences. Vol. 2, N 434. P. 191-198. ISSN 2224-5278. <https://doi.org/10.32014/2019.2518-170X.54>
- [25] Zhapbasbayev U., Ramazanova G., Kenzhaliev B., Sattinova Z., Shakhov S. (2016). Experimental and calculated data of the beryllium oxide slurry solidification // Applied Thermal Engineering. 96, 593-599. <https://doi.org/10.1016/j.applthermaleng.2015.11.114>
- [26] Nussupov K.K., Beisenkhanov N.B., Beisembetov I.K., Kenzhaliev B.K., Seitov B.Z., Dulatuly E., Bakranova D.I. (2017) The formation of TixNy and TaxNy-based diffusion barriers // Materials Today: Proceedings. Vol. 4, Issue 3. P. 4534-4541. <https://doi.org/10.1016/j.matpr.2017.04.026>
- [27] Shevko V.M., Badikova A.D., Tuleev M.A., Karataeva G.E. (2019) Kinetics of extraction of the silicon, aluminum and calcium of the basalt from the daubaba deposit // Kompleksnoe Ispol'zovanie Mineral'nogo Syr'a. 2. 83-89. <https://doi.org/10.31643/2019/6445.20>
- [28] Ramazanov J.M., Zamalidinova M.G. (2019) Physical and mechanical properties investigation of oxide coatings on titanium // Kompleksnoe Ispol'zovanie Mineral'nogo Syr'a. 2. 34-41. <https://doi.org/10.31643/2019/6445.14>
- [29] Zhapbasbayev U.K., Ramazanova G.I., Kenzhaliev O.B. (2015). Modelling of turbulent flow in a radial reactor with fixed bed // Thermophysics and Aeromechanics. 22(2), 229-243. <https://doi.org/10.1134/s0869864315020092>

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://www.geolog-technical.kz/index.php/en/>

Верстка Д. Н. Калкабековой

Подписано в печать 22.07.2019.
Формат 70х881/8. Бумага офсетная. Печать – ризограф.
15,7 п.л. Тираж 300. Заказ 4.